

<2007 英文論文>

Sakaguchi H, Usami M, Ando H, Ohata A: Establishment and evaluation of the Japanese edition of the weekly epidemiological record (WER) website by the faculty of health sciences of Kobe University school of medicine. *Southeast Asian J Trop Med Public Health* 38, 1141-1149, 2007

Hamada Y, Fukagawa M: A possible role of thioredoxin interacting protein in the pathogenesis of streptozotocin-induced diabetic nephropathy. *Kobe J Med Sci* 53, 53-61, 2007

Hamada Y, Kitazawa S, Kitazawa R, Fujii H, Kasuga M, Fukagawa M: Histomorphometric analysis of diabetic osteopenia in streptozotocin-induced diabetic mice: a possible role of oxidative stress. *Bone* 40, 1408-1414, 2007

Hamada Y, Miyata S, Nii-Kono T, Kitazawa R, Kitazawa S, Higo S, Fukunaga M, Ueyama S, Nakamura H, Yodoi J, Fukagawa M, Kasuga M: Overexpression of thioredoxin 1 in transgenic mice suppresses development of diabetic nephropathy. *Nephrol Dial Transplant* 22, 1547-1557, 2007

Kani S, Nakayama E, Yoda A, Onishi N, Sougawa N, Hazaka Y, Umeda T, Takeda K, Ichijo H, Hamada Y, Minami Y: Chk2 kinase is required for methylglyoxal-induced G2/M cell-cycle checkpoint arrest: implication of cell-cycle checkpoint regulation in diabetic oxidative stress signaling. *Genes Cells* 12, 919-928, 2007